



Hairtransplant Instruments



www.scharfmed.com





- Soft micro serrations
- FUE punches are one of the finest qualities
- Made of medical Stainless steel
- A thinner wall and a sharp cutting edge facilities angulations and pinpoint skin entry
- Reduce follicle trauma
- Extract 6000-7000 grafts with a single punch.
- Different size from 0.6 , 0.8 , 0.9 , 1.0 , 1.1 , 1.2mm
- Length from 2.5mm to 5mm
- Medical grade stainless steel

Code	Diameter	Length
51-006-40	0.6mm	4mm
51-007-25	0.7mm	2.5mm
51-007-35	0.7mm	3.5mm
51-007-40	0.7mm	4mm
51-007-50	0.7mm	5mm
51-075-25	0.75 mm	2.5mm
51-075-35	0.75 mm	3.5mm
51-075-40	0.75 mm	4mm
51-075-50	0.75 mm	5mm
51-008-25	0.8 mm	2.5mm
51-008-35	0.8 mm	3.5mm
51-008-40	0.8 mm	4mm
51-008-50	0.8 mm	5mm
51-085-25	0.85 mm	2.5mm
51-085-35	0.85mm	3.5mm
51-085-40	0.85 mm	4mm
51-085-50	0.85 mm	5mm
51-009-25	0.9 mm	2.5mm
51-009-35	0.9 mm	3.5mm
51-009-40	0.9 mm	4mm
51-009-50	0.9 mm	5mm
51-095-25	0.95mm	2.5mm
51-095-35	0.95mm	3.5mm
51-095-40	0.95mm	4mm

Code	Diameter	Length
51-095-50	0.95mm	5mm
51-010-25	1.0mm	2.5mm
51-010-35	1.0mm	3.5mm
51-010-40	1.0mm	4mm
51-010-50	1.0mm	5mm
51-011-2.5	1.1mm	2.5mm
51-010-3.5	1.1mm	3.5mm
51-010-40	1.1mm	4mm
51-010-50	1.1mm	5mm
51-012-2.5	1.2mm	2.5mm
51-012-3.5	1.2mm	3.5mm
51-012-40	1.2mm	4mm
51-012-50	1.2mm	5mm

Sharp Fue Punches



- Smooth sharp Punches
- FUE punches are one of the finest qualities
- Made of medical grade Stainless steel
- A thinner wall and a sharp cutting edge facilities
- Better angulations and pinpoint skin entryReduce follicle trauma
- Extract 6000-7000 grafts with a single punch.
- Different size from 0.6 , 0.8 , 0.9 , 1.0 , 1.1 , 1.2mm
- Length from 2.5mm to 5mm
- Medical grade stainless steel

Code	Diameter	Length
50-006-40	0.6mm	4mm
50-007-25	0.7mm	2.5mm
50-007-35	0.7mm	3.5mm
50-007-40	0.7mm	4mm
50-007-50	0.7mm	5mm
50-075-25	0.75 mm	2.5mm
50-075-35	0.75 mm	3.5mm
50-075-40	0.75 mm	4mm
50-075-50	0.75 mm	5mm
50-008-25	0.8 mm	2.5mm
50-008-35	0.8 mm	3.5mm
50-008-40	0.8 mm	4mm
50-008-50	0.8 mm	5mm
50-085-25	0.85 mm	2.5mm
50-085-35	0.85 mm	3.5mm
50-085-40	0.85 mm	4mm
50-085-50	0.85 mm	5mm
50-009-25	0.9 mm	2.5mm
50-009-35	0.9 mm	3.5mm
50-009-40	0.9 mm	4mm
50-009-50	0.9 mm	5mm
50-095-25	0.95mm	2.5mm
50-095-35	0.95mm	3.5mm
50-095-40	0.95mm	4mm

Code	Diameter	Length
50-095-50	0.95mm	5mm
50-010-25	1.0mm	2.5mm
50-010-35	1.0mm	3.5mm
50-010-40	1.0mm	4mm
50-010-50	1.0mm	5mm
50-011-2.5	1.1mm	2.5mm
50-010-3.5	1.1mm	3.5mm
50-010-40	1.1mm	4mm
50-010-50	1.1mm	5mm
50-012-2.5	1.2mm	2.5mm
50-012-3.5	1.2mm	3.5mm
50-012-40	1.2mm	4mm
50-012-50	1.2mm	5mm

Serrated Long Hair Punch



Code	Diameter	Length
53-008-00	0.8 mm	5mm
53-009-00	0.9 mm	5mm
53-010-00	1.0 mm	5mm

- Extended Length Design: Allows precise extraction without the need to trim existing hair.
- Ultra-Sharp Cutting Edge: Ensures clean and smooth incisions for minimal tissue trauma.
- Low Friction Surface: Reduces heat generation and tissue adhesion.
- High-Quality Stainless Steel / Titanium: Provides excellent durability and corrosion resistance.
- Compatible with Most FUE Motors and Handpieces.
- Available Sizes: Ø 0.8 mm – 1.0 mm (custom sizes upon request).

Non-Serrated Long Hair Punch



Code	Diameter	Length
54-008-00	0.8 mm	5mm
54-009-00	0.9 mm	5mm
54-010-00	1.0 mm	5mm

- Extended Length Design: Allows precise extraction without the need to trim existing hair.
- Ultra-Sharp serrated Cutting Edge: Ensures clean and smooth incisions for minimal tissue trauma.
- Low Friction Surface: Reduces heat generation and tissue adhesion.
- Available Sizes: Ø 0.8 mm – 1.0 mm (custom sizes upon request).



- A thinner wall and a sharp cutting edge facilities Better angulations and pinpoint skin entry.and minimal scars.

Code	Diameter
52-006-00	0.6mm
52-007-00	0.7mm
52-008-00	0.8mm
52-009-00	0.9mm
52-010-00	1.0mm
52-011-00	1.1 mm
52-012-00	1.2 mm

Manual Punch Handle



code: 50-1200-01

Scharf Extracting Forceps



Code	Tip Length
50-400-01	7 mm
50-400-01-06	6 mm
50-400-01-05	5 mm
50-400-01-4	4 mm
50-400-01-3	3 mm

- Improved design by our specialist
- Light weight-
- Titanium coated more durable
- No hair break
- No damage to hair
- Especially for extracting the grafts
- micro **vertical serrations** to reduce trauma
- Durable tip, it has easy grip
- Extracts multiple grafts at a time

Curved Extracting Forceps



50-400-02

Foerster Extracting Forceps



50-400-03

Implant Forceps



Code	Tip Length
50-600-04	4 mm
50-600-05	5 mm
50-600-06	6 mm

- improved design-PVD coated
- Specially for implanting grafts
- Durable tip and easy grip in hand
- Available in 4 mm -5mm-6mm tip
- 45 angle designed for placing grafts
- Easily fit into smaller recipient sites, without damaging
- Made of medical grade stainless steel

Implant Forceps with holes



Code	Tip Length
50-800-04	4 mm
50-800-05	5 mm
50-800-06	6 mm

Implant Forceps with holes



Code	Tip Length
50-900-04	4 mm
50-900-05	5 mm
50-900-06	6 mm

Straight forceps



Code	Tip size
50-700-00	0.7 mm
50-700-00-10	1.0mm

- Improved design
- Best for rearranging grafts
- Durable tip and easy grip in hand.
- Made of medical grade stainless steel
- Available in titanium coating

Graefe straight forceps



Code	Tip size
50-700-03-07	0.7mm
50-700-03-06	6 mm
50-700-03-10	1.0 mm

- horizontal serrations

Foerster straight forceps



Code	Tip size
50-700-02-07	0.7 mm
50-700-02-06	0.6 mm

- horizontal serrations inside

Blade Holder For CTS



- Improved design by our specialist
- Light weight-
- Tungsten carbide Tip
- Good grip for blades

Code	Length
04-330-09	9cm
04-330-11	11 cm
04-330-13	13 cm


Halsey Needle Holder



- Halsey needle holder with tungsten carbide tip 13
- Medical grade stainless steel .
- Good grip for blades.

code:11-541-13

CTS Blades



Recipient Sites Blades (Box 50 pcs) 90 °-

Code	Tip size
57-100-09	9mm
57-100-10	10 mm
57-100-11	11 mm
57-100-12	12 mm
57-100-13	13 mm
57-100-14	14 mm

Sapphire blades



- Diamond Hair Transplant Knife/Blade 60°10000 – 20000 slits with one blade
- Made of 9 Mohs hardness black diamond
- The knife is equipped with a retractable titanium handle
- Smooth edge and sharp point
- No damage existing hair
- High survival rate
- Less scaring

Code	Length
55-100-08	0.8 mm- 5mm
55-100-09	0.9 mm-5mm
55-100-10	1.0 mm-5mm
55-100-11	1.1 mm-5mm
55-100-12	1.2 mm-5mm
55-100-125	1.25 mm-5mm
55-100-13	1.3 mm-5mm
55-100-14	1.4 mm-5mm
55-100-15	1.5 mm-5mm
55-100-17	1.7 mm-5mm

Sapphire Holder



55-100-00


Incuram Implanters



Code	Size-color
55-400-07	0.7 mm-GREEN
55-400-08	0.8 mm- BLUE
55-400-09	0.9 mm- RED
55-400-10	1.0 mm-WHITE
55-400-11	1.1 mm-BLACK

- Hairs can be directly loaded without extra trimming procedure
- Excellent Needle: Made with strongest metal through specific process
- Extremely sharp point of needle with best strength
- Excellent grip and easy rotation during implanting
- Needles will not rotate
- Hairs will not spring out
- Exact hair depth in scalp
- Easy to find the bevel side

Incuram Needles



Code	Size-color
55-401-07	0.7 mm-GREEN
55-401-08	0.8 mm- BLUE
55-401-09	0.9 mm- RED
55-401-10	1.0 mm-WHITE
55-401-11	1.1 mm-BLACK

Ecube Micromotor-Long Hair



code: 60-250-00

- LCD Window
- 9 Programmable memory function
- Automatic overload protection function
- Automatic power off function
- Max. RPM: 0 ~ 13,000rpm
- Charging time: Approx. 5 hours
- Variable Speed Foot control
- Dual Voltage 100-240 volts
- 1 year warranty
- **Programmable oscillations parameters:**
 - **Oscillations Angle:** 30° right and 150° left (in program 8), or 150° right and 30° left (in program 9)
 - **Speed:** 150 RPM or 250 RPM
 - **Gear Ratio:** 10:1, 16:1 or 20:1
- Pedal control
- Autoclave able Hand-piece

K-38 micromotor chargeable



code: 60-700-00

- FUE Micro-motor K38 Rechargeable with H200 Autoclave Hand piece and Foot.Control

M3 Champion Autoclavable



- Hand-foot pedal
- Autoclavable hand piece
- 1.inner channel cooling system
- 1.inner channel cooling system
- 2.straight Head
- 3.rotation speed: about 20,000rpm
- 4.bur applicable: $\phi 2.35\text{mm}$
- 5.noise: $\leq 70\text{dB}$

code: 60-500-00

Autoclaveable Handpiece



- Hand-foot pedal
- Autoclavable hand piece
- 1.inner channel cooling system
- 1.inner channel cooling system
- 2.straight Head
- 3.rotation speed: about 20,000rpm
- 4.bur applicable: $\phi 2.35\text{mm}$
- 5.noise: $\leq 70\text{dB}$

code: 60-600-00

FUE Micromotor E Cube micromotor



- e-cube micro motor hand piece
- Cable part (only micrometer)

code: 60-250-01

Instruments Box with holes



- Instruments box for forceps and punches
- with autoclave able silicon base.
- need to pack before autoclave
- L:19cm W:9cm. H:2cm
- L:19cm W:9cm. H:2cm

code: 29-354-20

Sterilization Container



- Sterilization Tray
- 300x140x40 mm
- Best Quality with Silicon
- autoclave able silicon for micro instruments
- instruments stored in these containers can typically remain sterile for anywhere between 6 months to 1
- Available in Red, Blue& silver color

code: 29-381-40

Metal Tray for grafts



- Made of 304 stainless steel
- Autoclavable
- L:22cm. W:11. H:2cm
- Tray for Fue grafts .
- according to size of ice pack

code: 29-225-02

Instruments Tray



- Made of 304 stainless steel
- Autoclavable
- 28x18x4 cm

code: 29-532-04

Gallipot



200 cc gallipot bowl

Code: 29-700-10

Petri dishes



- Autoclave-able
- With cover
- Available in different sizes

Code	Tip size
29-100-08	8mm
29-100-10	10 mm
29-100-12	12 mm
29-100-15	15 mm

Graft Cup Ring



- Adjustable ring
- Flexible finger ring

Code: 29-520-00

Dermojet Needle-less Anesthesia




High technology material.

- *Ergonomic: Manouverable, equilibrated, and allows for intensive use without needless effort.*
- *Esthetic: A modem, highly polished and streamlined device.*
- *Efficient: Its incorporated reservoir allows for operation in every position.*
- *Easy to Use: The armament s activated by a simple turn of the lever, and the liquid s flushed by pressing the button on the upper part of the machine.*
- *Sterilisable*
- *MAde in France*

Code: 29-400-00

Hairline designer



Scharf hairline designer

easy to draw precise hairline .

ergonomic grip .

Code: 70-300-00

Surgical skin marker



- Formulated to reduce blurring on the skin
- Requires only 30 seconds drying time before prep for optimal results
- Non tattooing and non-irritating
- Single-use pen
- Pen tip is designed for precision marking

Code: 70-500-00

Metal comb



Made of 304 stainless steel

Can be sterilize .

ergonomic grip .

Code: 29-600-00

Backhuas Towel clamp



made of medical grade stainless steel. 11 cm
The Backhaus towel clamp is a perforating clamp
used for grasping tissue, securing towels or drapes

Code: 07-685-11

Scissor Sharp blunt



Standard Scissor sharp blunt 14 cm

Code: 05-902-14

Hair Analyser LED



- Magnification: 10x / 38,0 dpt
- Lens size: 35mm diameter
- Lens type: Aspheric lightweight lens
- LED Illumination
- Battery operated- The magnifier runs on two AAA batteries

Code: 70-200-11

Wifi Hair Anlayzer microscope



This Wifi Digital Microscope is a wireless handheld digital microscope that has been designed to work with your mobile Android or iOS device, This innovative microscope wirelessly streams live footage to over 33FT away while magnifying objects with a 50x to 1000x magnification zoom.

Code: 70-250-00

Optivisor

- Original Donegan Optivisor Head Magnifier



Code	Item no	Focal Length	Magnification
70-101-02	DA-2	20"	1.5 times
70-101-03	DA-3	14"	1.75 times
70-101-04	DA-4	10"	2 times
70-101-05	DA-5	8"	2.5 times
70-101-07	DA-7	6"	2.75 times
70-101-10	DA-10	4"	3.5 time

Optic Magnifier with 5 lenses and light



5 lenses .
with batteries .
LED light
1.5 to 3.5 magnifications

Code: 70-400-00



Founded in 2011, Scharf Instruments is a leading manufacturer and global supplier of high-quality medical instruments, specializing in hair transplantation and plastic surgery. With a commitment to precision, innovation, and customer satisfaction, we have built a reputation for delivering exceptional products that meet the highest standards of quality and performance.

Our product range includes:

- **FUE Punches:** Manual, sharp, and serrated designs for optimal graft extraction.
- **Implant/Placing Forceps:** Ergonomically designed for precise graft placement.
- **Extracting Forceps:** Engineered for efficient graft extraction.
- **Micromotors and Accessories:** Advanced tools to enhance surgical efficiency.



At Scharf Instruments, we understand the importance of reliability in surgical procedures. Our instruments are crafted using premium materials and undergo rigorous quality control to ensure durability and performance. Trusted by professionals worldwide, our products are designed to meet the evolving needs of the medical community.

We invite you to explore our catalogue and discover how Scharf Instruments can support your surgical practice with precision-engineered tools that deliver outstanding results.



Head Office:

Scharf Tools ihracat ithalat ltd.şti

Çağanak sk : 1/7 Molla Gürani mah: Fatih
İstanbul Türkiye

www.scharfmed.com

Tel: +90-505-5839729

info@scharfmed.com



EU Office:

Scharf FUE Instruments

Blumen Str.60 90547 Stein Germany

www.scharfmed.de

Tel: +49 176 34165802

atif@scharfmed.de



USA Office:

Scharf LLC

9315 South Hill Street,

Cornelius, NC 28031

Tel: +1 (704) 299-6898

www.scharfinstruments.com

sales@scharfinstruments.com



UAE Office:

Scharf LLC

Corniche - 109 بناء المنصوري - Al Taawun St - Al Khan -
Sharjah - UAE
+971 56 111 8880